

Contents

No. 1 – 1–112 issued 24 April 1996
 No. 2 – 113–260 issued 23 May 1996
 No. 3 – 261–396 issued 12 June 1996
 No. 4 – 397–502 issued 24 June 1996
 No. 5 – 503–618 issued 19 July 1996
 No. 6 – 619–726 issued 26 July 1996

- Albornoz J → Dominguez A
 Allmansberger R: Degradation of the *Bacillus subtilis* xynA transcript is accelerated in response to stress 108
 Altenbuchner J → Brünker P
 Amasino RM → Sanda SL
 Anderson PA, Okubara PA, Arroyo-Garcia R, Meyers BC, Micheltore RW: Molecular analysis of irradiation-induced and spontaneous deletion mutants at a disease resistance locus in *Lactuca sativa* 316
 Andrianopoulos A → Papagiannopoulos P
 Arroyo-Garcia R → Anderson PA
 Awasaki T, Juni N, Yoshida KM: An eye imaginal disc-specific transcriptional enhancer in the long terminal repeat of the *tom* retrotransposon is responsible for eye morphology mutations of *Drosophila ananassae* 161
 Balagué C → Lasserre E
 Banasiak D → Gorman SW
 Battaglia PA → Gigliani F
 Baumberg S → Soutar A
 Becker H-A, Kunze R: Binding sites for maize nuclear proteins in the subterminal regions of the transposable element *Activator* 428
 Bergman LW → Shao D
 Berry LD, Gould KL: Novel alleles of *cdc13* and *cdc2* isolated as suppressors of mitotic catastrophe in *Schizosaccharomyces pombe* 635
 Biezen EA van der, Brandwagt BF, Leeuwen W van, Nijkamp HJJ, Hille J: Identification and isolation of the *FEELY* gene from tomato by transposon tagging 267
 Binelli G → Sari-Gorla M
 Bodoky T → Szevényi I
 Boerjan W → Van Lijsebettens M
 Bogaerts S → Hartley AD
 Böcker M → Urban M
 Bonnefoy N, Kermorgant M, Brivet-Chevillotte P, Dujardin G: Cloning by functional complementation, and inactivation, of the *Schizosaccharomyces pombe* homologue of the *Saccharomyces cerevisiae* gene *ABC1* 204
 Borden A → Lawrence CW
 Botella L-M, Nieto A: The C-terminal DNA-binding domain of *Chironomus* BR gene products shows preferential affinity for (dA,dT)-rich sequences 422
 Bouquin T → Lasserre E
 Brandwagt BF → Biezen EA van der
 Braun V → Gross P
 Bridges BA, Sekiguchi M, Tajiri T: Effect of *mutY* and *mutM/fpg-1* mutations on starvation-associated mutation in *Escherichia coli*: implications for the role of 7,8-dihydro-8-oxoguanine 352
 Brivet-Chevillotte P → Bonnefoy N
 Brown DHJR, Slobodkin IV, Kumamoto CA: Stable transformation and regulated expression of an inducible reporter construct in *Candida albicans* using restriction enzyme-mediated integration 75
 Brünker P, Rother D, Sedlmeier R, Klein J, Mattes R, Altenbuchner J: Regulation of the operon responsible for broad-spectrum mercury resistance in *Streptomyces lividans* 1326 307
 Buhr TL, Oved S, Truesdell GM, Huang C, Yarden O, Dickman MB: A kinase-encoding gene from *Colletotrichum trifolii* complements a colonial growth mutant of *Neurospora crassa* 565
 Bull J → Lasserre E
 Carpenter BE → Froeliger EH
 Ceci LR → Perrotta G
 Cerff R → Köhler U
 Chak K-F → Lu F-M
 Chandok MR, Sopory SK: Phosphorylation/dephosphorylation steps are key events in the phytochrome-mediated enhancement of nitrate reductase mRNA levels and enzyme activity in maize 599
 Chia W → Dick T
 China B → Katayama S
 Choi IS → Jang YK
 Choij J → Koh Y-S
 Christiansen S → Sharon A
 Chung KW → Chung YD
 Chung YD, Kwon HC, Chung KW, Kim SJ, Kim K, Lee CC: Identification of ovarian enhancer-binding factors which bind to ovarian enhancer 1 of the *Drosophila* genes *yp1* and *yp2* 347
 Cnops G → Van Lijsebettens M
 Cole ST → Katayama S
 Cong L → Ylihonko K
 Covert SF, Enkerli J, Miao VPW, VanEtten HD: A gene for maackiain detoxification from a dispensable chromosome of *Nectria haematococca* 397
 Creasy CL → Shao D
 Culotta VC → Strain J
 Daube G → Katayama S
 Davis MA → Papagiannopoulos P
 De Ruffray P → Otten L
 Delseny M → Sadowski J
 DeScenzo RA, Wise RP: Variation in the ratio of physical to genetic distance in intervals adjacent to the *Mla* locus on barley chromosome 1H 472
 Desnos T → Van Lijsebettens M
 Dick T, Surana U, Chia W: Molecular and genetic characterization of *SLC1*, a putative *Saccharomyces cerevisiae* homolog of the metazoan cytoplasmic dynein light chain 1 38
 Dickman MB → Buhr TL
 Dingermann T → Li Z
 Doi H → Iwaki T
 Dominguez A, Albornoz J: Rates of movement of transposable elements in *Drosophila melanogaster* 130
 Donath M → Köhler U
 Dörfel P → Hornung S
 Dubus A → Prieto R
 Dujardin G → Bonnefoy N
 Dunkov BC, Rodriguez-Araiz R, Pittendigh B, ffranch-Constant RH, Feyereisen R: Cytochrome P450 gene clusters in *Drosophila melanogaster* 290
 Dupuy B → Katayama S
 Endo M → Hashida-Okado T
 Enkerli J → Covert SF
 Fairley C → Gorman SW
 Farman ML, Taura S, Leong SA: The *Magnaporthe grisea* DNA fingerprinting probe MGR586 contains the 3' end of an inverted repeat transposon 675
 Farman ML, Tosa Y, Nitta N, Leong SA: MAGGY, a retrotransposon in the genome of the rice blast fungus *Magnaporthe grisea* 665
 Feldbrügge M, Hahlbrock K, Weisshaar B: The transcriptional regulator *CPRF1*: expression analysis and gene structure 619
 Fernández E, Lombó F, Méndez C, Salas JA: An ABC transporter is essential for resistance to the antitumor agent mithramycin in the producer *Streptomyces argillaceus* 692
 Fernández E → Prieto R
 Feyereisen R → Dunkov BC
 ffranch-Constant RH → Dunkov BC
 Fischer N, Stampacchi O, Redding K, Rochaix J-D: Selectable marker recycling in the chloroplast 373
 Flagiello D → Zider A
 Frary A → Presting GG
 Fridlender M → Levy AA
 Friedli L → Paravicini G
 Froeliger EH, Carpenter BE: *NUT1*, a major nitrogen regulatory gene in *Magnaporthe grisea*, is dispensable for pathogenicity 647

- Frouin I → Zider A
 Frova C → Sari-Gorla M
 Fujiwara M → Motoyama T
 Fulgosi H → Hornung S
 Furusawa M → Iwaki T
- Gaddini L → Gigliani F
 Galván A → Prieto R
 Garrett S → Hartley AD
 Gaubier P → Sadowski J
 Gigliani F, Longo F, Gaddini L, Battaglia PA: Interactions among the bHLH domains of the proteins encoded by the *Enhancer of split* and *achaete-scute* gene complexes of *Drosophila* 628
 Gorman SW, Banasiak D, Fairley C, McCormick S: A 610 kb YAC clone harbors 7 cM of tomato (*Lycopersicon esculentum*) DNA that includes the male sterile 14 gene and a hotspot for recombination 52
 Goshima N → Iwaki T
 Gould KL → Berry LD
 Grevelding C, Suter-Crazzolara C, Menges A von, Kemper E, Masterson R, Schell J, Reiss B: Characterisation of a new allele of *pale cress* and its role in greening in *Arabidopsis thaliana* 532
 Gross P, Braun V: Colicin M is inactivated during import by its immunity protein 388
 Gulløv K → Kirkekar F
 Günes, Müller-Hill B: Mutants in position 69 of the Trp repressor of *Escherichia coli* K12 with altered DNA-binding specificity 338
 Gunn JS, Stein DC: Use of a non-selective transformation technique to construct a multiply Restriction/Modification-deficient mutant of *Neisseria gonorrhoeae* 509
- Habu T → Yamamoto A
 Hahlbrock K → Feldbrügge M
 Hanania U → Levy AA
 Harashima S → Yompakdee C
 Hartley AD, Bogaerts S, Garrett S: cAMP Inhibits bud growth in a yeast strain compromised for Ca²⁺ influx into the Golgi 556
 Hashida-Okado T, Ogawa A, Endo M, Yasumoto R, Takesako K, Kato I: *AURI*, a novel gene conferring aureobasidin resistance on *Saccharomyces cerevisiae*: a study of defective morphologies in Aur1p-depleted cells 236
 Hegde V, McFarlane RJ, Taylor EM, Price C: The genetics of the repair of 5-azacytidine-mediated DNA damage in the fission yeast *Schizosaccharomyces pombe* 483
 Hehl R → Köhler U
 Hernandez JA → Lasserre E
 Herrmann RG → Hornung S
 Hervieu F, Vaucheret H: A single amino acid change in acetolactate synthase confers resistance to valine in tobacco 220
 Hille J → Biezen EA van der
 Hirata D → Nakamura T
 Hirose T → Vera A
 Höfte H → Van Lijsebettens M
 Hollmann M → Schmidt A
 Hombergh JPTW van den, MacCabe AP, Vondervoort PJJ van de, Visser J: Regulation of acid phosphatases in an *Aspergillus niger* *pacC* disruption strain 542
 Hong SH → Jang YK
 Horiuchi H → Motoyama T
 Hornung S, Fulgosi H, Dörfel P, Herrmann RG: Sequence variation in the putative replication origins of the five genetically distinct basic *Euoenothea* plastid chromosomes (plastomes) 609
 Horwitz BA → Sharon A
 Huang C → Buhr TL
 Humayun MZ → Wang G
 Hynes MJ → Papagiannopoulos P
- Ilmén M, Thrane C, Penttilä M: The glucose repressor gene *creI* of *Trichoderma*: Isolation and expression of a full-length and a truncated mutant form 451
 Imamoto F → Iwaki T
 Ishino Y → Iwaki T
 Ito K, Nakamura Y: Localization of *nusA*-suppressing amino acid substitutions in the conserved regions of the β' subunit of *Escherichia coli* RNA polymerase 699
 Iwaki T, Kawamura A, Ishino Y, Kohno K, Kano Y, Goshima N, Yara M, Furusawa M, Doi H, Imamoto F: Preferential replication-dependent mutagenesis in the lagging DNA strand in *Escherichia coli* 657
- Jang YK, Jin YH, Shim YS, Kim MJ, Yoo EJ, Choi IS, Lee JS, Seong RH, Hong SH, Park SD: Identification of the DNA damage-responsive elements of the *rhp51+* gene, a *recA* and *RAD51* homolog from the fission yeast *Schizosaccharomyces pombe* 167
 Jiang W, Koltin Y: Two-hybrid interaction of a human UBC9 homolog with centromere proteins of *Saccharomyces cerevisiae* 153
 Jin YH → Jang YK
 Juni N → Awasaki T
 Jussila S → Ylihönko K
- Kahmann R → Urban M
 Kano Y → Iwaki T
 Kano-Murakami Y → Sato Y
 Katayama S, Dupuy B, Daube G, China B, Cole ST: Genome mapping of *Clostridium perfringens* strains with I-CeuI shows many virulence genes to be plasmid-borne 720
 Kato I → Hashida-Okado T
 Kawamura A → Iwaki T
 Kawamura M, Kominami K, Takeuchi J, Toh-e A: A multicopy suppressor of *nin1-1* of the yeast *Saccharomyces cerevisiae* is a counterpart of the *Drosophila melanogaster* diphenol oxidase A2 gene, *Dox-A2* 146
 Kemper E → Grevelding C
 Kermorgant M → Bonnefoy N
 Kim K → Chung YD
 Kim MJ → Jang YK
 Kim SJ → Chung YD
 Kirkekar F, Gulløv K: Replication properties of *ARS1* plasmids in *Saccharomyces cerevisiae*: dependence on the carbon source 716
 Klein J → Brünker P
 Kobayashi O, Suda H, Ohtani T, Sone H: Molecular cloning and analysis of the dominant flocculation gene *FLOS* from *Saccharomyces cerevisiae* 707
 Koch WH, Kopsidas G, Meffle B, Levine AS, Woodgate R: Analysis of chimeric UmuC proteins: identification of regions in *Salmonella typhimurium* UmuC important for mutagenic activity 121
 Koh Y-S, Choi H, Lee J-H, Roe J-H: Regulation of the *ribA* gene encoding GTP cyclohydrolase II by the *soxRS* locus in *Escherichia coli* 591
 Köhler U, Donath M, Mendel RR, Cerff R, Hehl R: Intron-specific stimulation of anaerobic gene expression and splicing efficiency in maize cells 252
 Kohno K → Iwaki T
 Kojima N → Motoyama T
 Koltin Y → Jiang W
 Kominami K → Kawamura M
 Kopsidas G → Koch WH
 Kowarz L, Robbe-Saule V, Norel F: Identification of cis-acting DNA sequences involved in the transcription of the virulence regulatory gene *spvR* in *Salmonella typhimurium* 225
 Kumamoto CA → Brown DHJR
 Kunze R → Becker H-A
 Kwon HC → Chung YD
- Lajudie P de → Otten L
 Lasserre E, Bouquin T, Hernandez JA, Bull J, Pech J-C, Balagué C: Structure and expression of three genes encoding ACC oxidase homologs from melon (*Cucumis melo* L.) 81
 Lawrence CW, Borden A, Woodgate R: Analysis of the mutagenic properties of the UmuDC, MucAB and RumAB proteins, using a site-specific abasic lesion 493
 Lee CC → Chung YD
 Lee JS → Jang YK
 Lee J-H → Koh Y-S
 Leeuwen W van → Biezen EA van der
 Leong SA → Farman ML
 Levine AS → Koch WH
 Levy AA, Fridlender M, Hanania U, Rubin E, Sitrit Y: Binding of *Nicotiana* nuclear proteins to the subterminal regions of the *Ac* transposable element 436
 Li Z, Sommer A, Dingermann T, Noe CR: Molecular cloning and sequence analysis of a cDNA encoding a cysteine proteinase inhibitor from *Sorghum bicolor* seedlings 499
 Lombó F → Fernández E
 Longo F → Gigliani F
 Lu F-M, Chak K-F: Two overlapping SOS-boxes in *ColE* operons are responsible for the viability of cells harboring the Col plasmid 407
 Lugtenberg BJJ → Ritsema T
- MacCabe AP → Hombergh JPTW van den
 Mäntsälä P → Ylihönko K
 Masterson R → Grevelding C
 Matsui Y → Shirayama M
 Matsuoka M → Sato Y
 Matsushiro A → Yamamoto A
 Mattes R → Brünker P
 McClung CR → Zhong HH
 McCormick S → Gorman SW
 McFarlane RJ → Hegde V

- Meffle B → Koch WH
Mendel RR → Köhler U
Méndez C → Fernández E
Menges A von → Grevelding C
Meyers BC → Anderson PA
Miao VPW → Covert SF
Michelmore RW → Anderson PA
Michot B → Otten L
Miyakawa T → Nakamura T
Morita T → Yamamoto A
Motoyama T, Fujiwara M, Kojima N, Hor-
iuchi H, Ohta A, Takagi M: The *Aspergil-*
lus nidulans genes *chsA* and *chsD* encode
chitin synthases which have redundant
functions in conidia formation 442
Müller-Hill B → Günes
Murakami T → Sato Y
- Nakamura T, Ohmoto T, Hirata D, Tsuchiya
E, Miyakawa T: Genetic evidence for the
functional redundancy of the calcineurin-
and Mpk1-mediated pathways in the regu-
lation of cellular events important for
growth in *Saccharomyces cerevisiae* 211
Nakamura Y → Ito K
Nieto A → Botella L-M
Nijkamp HJJ → Biezen EA van der
Ninio J: Gene conversion as a focusing
mechanism for correlated mutations: a
hypothesis 503
Nishimune Y → Yamamoto A
Nitta N → Farman ML
Noe CR → Li Z
Norel F → Kowarz L
- Ogawa A → Hashida-Okado T
Ogawa N → Yompakdee C
Ohmoto T → Nakamura T
Ohta A → Motoyama T
Ohtani T → Kobayashi O
Okubara PA → Anderson PA
Olasz F → Szeverényi I
Oshima Y → Yompakdee C
Otten L, De Ruffray P, Lajudie P de, Mic-
hot B: Sequence and characterisation of a
ribosomal RNA operon from *Agrobacter-*
ium vitis 99
Oved S → Buhr TL
- Papagiannopoulos P, Andrianopoulos A,
Sharp JA, Davis MA, Hynes MJ: The
hapC gene of *Aspergillus nidulans* is in-
volved in the expression of CCAAT-con-
taining promoters 412
Paravicini G, Friedli L: Protein-protein in-
teractions in the yeast *PKC1* pathway:
Pkc1p interacts with a component of the
MAP kinase cascade 682
Park SD → Jang YK
Patton DA, Volrath S, Ward ER: Comple-
mentation of an *Arabidopsis thaliana* bi-
otin auxotroph with an *Escherichia coli*
biotin biosynthetic gene 261
Pè ME → Sari-Gorla M
Pech J-C → Lasserre E
Penttilä M → Ilmén M
Perrotta G, Regina TMR, Ceci LR, Quagli-
ariello C: Conservation of the organiza-
tion of the mitochondrial *nad3* and *rps12*
genes in evolutionarily distant angio-
sperms 326
Pillen K → Presting GG
Pittendrigh B → Dunkov BC
- Presting GG, Frary A, Pillen K, Tanksley
SD: Telomere-homologous sequences oc-
cur near the centromeres of many tomato
chromosomes 526
Price C → Hegde V
Prieto R, Dubus A, Galván A, Fernández E:
Isolation and characterization of two new
negative regulatory mutants for nitrate as-
similation in *Chlamydomonas reinhardtii*
obtained by insertional mutagenesis 461
Purton S → Stevens DR
- Quagliariello C → Perrotta G
Quiros CF → Sadowski J
- Rampoldi L → Sari-Gorla M
Redding K → Fischer N
Regina TMR → Perrotta G
Reiss B → Grevelding C
Ritsema T, Wijffjes AHM, Lugtenberg BJJ,
Spaank HP: *Rhizobium* nodulation protein
NodA is a host-specific determinant of
the transfer of fatty acids in Nod factor
biosynthesis 44
Robbe-Saule V → Kowarz L
Rochaix J-D → Fischer N
Rochaix J-D → Stevens DR
Rodriguez-Arnaiz R → Dunkov BC
Roe J-H → Koh Y-S
Rother D → Brünker P
Rubin E → Levy AA
- Sadowski J, Gaubier P, Delseny M, Quiros
CF: Genetic and physical mapping in
Brassica diploid species of a gene cluster
defined in *Arabidopsis thaliana* 298
Salas JA → Fernández E
Sanda SL, Amasino RM: Interaction of
FLC and late-flowering mutations in *Ar-*
abidopsis thaliana 69
Sari-Gorla M, Rampoldi L, Binelli G, Frova
C, Pè ME: Identification of genetic fac-
tors for alachlor tolerance in maize by
molecular markers analysis 551
Sato Y, Tamaoki M, Murakami T, Yama-
moto N, Kano-Murakami Y, Matsuoka
M: Abnormal cell divisions in leaf pri-
mordia caused by the expression of the
rice homeobox gene *OSHI* lead to altered
morphology of leaves in transgenic to-
bacco 13
Schäfer U → Schmidt A
Schell J → Grevelding C
Schmidt A, Hollmann M, Schäfer U: A
newly identified *Minute* locus, *M(2)32D*,
encodes the ribosomal protein L9 in *Dro-*
sophila melanogaster 381
Schrepf H → Walter S
Sedlmeier R → Brünker P
Sekiguchi M → Bridges BA
Seong RH → Jang YK
Shao D, Creasy CL, Bergman LW: Interac-
tion of *Saccharomyces cerevisiae* Pho2
with Pho4 increases the accessibility of
the activation domain of Pho4 358
Sharon A, Yamaguchi K, Christiansen S,
Horwitz BA, Yoder OC, Turgeon BG: An
asexual fungus has the potential for sexu-
al development 60
Sharp JA → Papagiannopoulos P
Shim YS → Jang YK
Shirayama M, Matsui Y, Toh-e A: Domi-
nant mutant alleles of yeast protein ki-
nase gene *CDC15* suppress the *Itel1* de-
fect in termination of M phase and genet-
ically interact with *CDC14* 176
- Silber J → Zider A
Sitrit Y → Levy AA
Slobodkin IV → Brown DHr
Sommer A → Li Z
Sone H → Kobayashi O
Sopory SK → Chandok MR
Soutar A, Baumberg S: Implication of a re-
pression system, homologous to those of
other bacteria, in the control of arginine
biosynthesis genes in *Streptomyces coeli-*
color 245
Spaank HP → Ritsema T
Stampacchi O → Fischer N
Stein DC → Gunn JS
Stevens DR, Rochaix J-D, Purton S: The
bacterial phleomycin resistance gene *ble*
as a dominant selectable marker in *Chla-*
mydomonas 23
Strain J, Culotta VC: Copper ions and the
regulation of *Saccharomyces cerevisiae*
metallothionein genes under aerobic and
anaerobic conditions 139
Suda H → Kobayashi O
Sugiura M → Vera A
Surana U → Dick T
Suter-Crazzolara C → Grevelding C
Szeverényi I, Bodoky T, Olasz F: Isolation,
characterization and transposition of an
(IS)₂ intermediate 281
- Tajiri T → Bridges BA
Takagi M → Motoyama T
Takesako K → Hashida-Okado T
Takeuchi J → Kawamura M
Taki T → Yamamoto A
Tamaoki M → Sato Y
Tanksley SD → Presting GG
Taura S → Farman ML
Tavernarakis N, Thireos G: Genetic evi-
dence for functional specificity of the
yeast GCN2 kinase 613
Taylor EM → Hegde V
Thireos G → Tavernarakis N
Thrane C → Ilmén M
Toh-e A → Kawamura M
Toh-e A → Shirayama M
Tosa Y → Farman ML
Truesdell GM → Buhr TL
Tsuchiya E → Nakamura T
Tuikkanen J → Ylihonko K
Turgeon BG → Sharon A
- Urban M, Kahmann R, Bölker M: Identifi-
cation of the pheromone response ele-
ment in *Ustilago maydis* 31
- Van Lijsebettens M, Wang X, Cnops G,
Boerjan W, Desnos T, Höfte H, Van
Montagu M: Transgenic *Arabidopsis*
tester lines with dominant marker genes
365
Van Montagu M → Van Lijsebettens M
VanEtten HD → Covert SF
Vaucheret H → Hervieu F
Vera A, Hirose T, Sugiura M: A ribosomal
protein gene (*rpl32*) from tobacco chloro-
plast DNA is transcribed from alternative
promoters: similarities in promoter region
organization in plastid housekeeping
genes 518

- Visser J → Hombergh JPTW van den
 Volrath S → Patton DA
 Vondervoort PJJ van de → Hombergh JPTW van den
- Walter S, Schrempf H: The synthesis of the *Streptomyces reticuli* cellulase (Avicelase) is regulated by both activation and repression mechanisms 186
- Wang G, Humayun MZ: Induction of the *Escherichia coli* UVM response by oxidative stress 573
- Wang X → Van Lijsebettens M
 Ward ER → Patton DA
 Weisshaar B → Feldbrügge M
 Wijffes AHM → Ritsema T
 Wise RP → DeScenzo RA
 Woodgate R → Koch WH
 Woodgate R → Lawrence CW
- Yagi H → Yamamoto A
 Yamaguchi K → Sharon A
- Yamamoto A, Taki T, Yagi H, Habu T, Yoshida K, Yoshimura Y, Yamamoto K, Matsushiro A, Nishimune Y, Morita T: Cell cycle-dependent expression of the mouse *Rad51* gene in proliferating cells 1
- Yamamoto K → Yamamoto A
 Yamamoto N → Sato Y
 Yara M → Iwaki T
 Yarden O → Buhr TL
 Yasumoto R → Hashida-Okado T
 Ylihonko K, Tuikkanen J, Jussila S, Cong L, Mäntsälä P: A gene cluster involved in nogalamycin biosynthesis from *Streptomyces nogalater*: sequence analysis and complementation of early-block mutations in the anthracycline pathway 113
- Yoder OC → Sharon A
 Yompakdee C, Ogawa N, Harashima S, Oshima Y: A putative membrane protein, Pho88p, involved in inorganic phosphate transport in *Saccharomyces cerevisiae* 580
- Yoo EJ → Jang YK
 Yoshida K → Yamamoto A
 Yoshida KM → Awasaki T
 Yoshimura Y → Yamamoto A
- Zhong HH, McClung CR: The circadian clock gates expression of two *Arabidopsis* catalase genes to distinct and opposite circadian phases 196
- Zider A, Flagiello D, Frouin I, Silber J: *vestigial* gene expression in *Drosophila melanogaster* is modulated by the dTMP pool 91

Indexed in *Current Contents*,
Index Medicus and *EMBASE*

